

# LED PROFILE FRAME14 BC/Q 2000 RAW ALU.



Spackle in



Architectural



max 14 mm



- dedicated for plasterboards - decorative construction finish
- continuous line of light (when using LED strip 120 P/m and opal diffuser)
- multiple arrangements through a variety of connectors



EU industrial designs






CE



Made in Poland



Buy product



**TOPMET LIGHT KŁOSOWICZ WIŚNIEWSKI sp. z o.o.**


Ostrowska 354 | 61-312 Poznań | POLAND

tel.: +48 61 872 75 00

info@topmet.pl

pdf card generation date: 10.03.2025






## Basic Informations

EAN: 5901597208860 Index: C3020000 Material: aluminium Color: raw aluminium Length [mm]: 2000 Weight [kg]: 0.602 Country of origin: PL	Measurement unit: qty Product packaging dimensions [mm]: 2000 x 24,9 x 33,4 Bulk packing [qty]: 20 Master packaging type: Bulk Product with gross packaging weight [kg]: 12.04
--	--

## AVAILABLE COLORS





## AVAILABLE VARIANTS

1000 mm, 2000 mm, 3000 mm, 4050 mm

## Matching elements

## DIFFUSERS



## CONNECTORS



**connector Q 90deg**  
**/plastic bag**  
index: C3970030



**connector Q 135deg**  
**/plastic bag**  
index: C3980030



**connector Q 90deg bent**  
**/plastic bag**  
index: C3960030



**connector Q 180deg**  
**/plastic bag**  
index: C3990030